

MICHIGAN DEPARTMENT OF HEALTH

SUMMARY OF LOCAL CASE DATA WITH COMPARISON TO NATIONAL CONTROLS

1881 potential participants accessed the survey, 1721 consented, and 1703 met eligibility criteria between 6/15 to 6/28
Excluding WASHTENAW

MOST COMMON REASONS FOR TESTING

Symptomatic	80.5%	
Close Contact	36.3%	
Preparing to Travel	8.86%	

INDIVIDUAL PREVENTION STRATEGIES



Face Covering

28% of local cases

always/often wore surgical or n95 masks

National Controls (n=3,028)

37% of controls always/often wore surgical or n95 masks



Physical Distancing

41.8% of local cases

always/often avoided crowded places/events

National Controls (n=3,028)

43% of controls always/often avoided crowded places/events


TRUSTED SOURCES OF INFORMATION

MICHIGAN CASES


- #1 CDC (71.9%)
- #2 Local healthcare provider (71.5%)
- #3 State Health Department (61.5%)

VACCINATIONS

Plans for Child Vaccination



Info Needed for Child Vaccination Decision



SUMMARY

- Most individuals (80.5%) are testing as a result of symptoms. 36.3% tested as a result of close contact.
- 32.9% used PCR, 23.7% used rapid testing to confirm positive COVID case, 43.3% did both.
- 20.8% had tested positive before.
- Most Trusted Sources of Info: CDC, their own healthcare provider, State Health Department.