

Good afternoon,

The Septic Replacement Loan Program has officially been available to Michigan homeowners for 2 months! The EGLE OWMU would like to first, thank local health department staff for playing a critical role in the early success of the program. Local health departments have played a huge role in program promotion and have been doing an exceptional job at issuing permits that align with the program minimum standards, asking great questions, and making the revisions process quick for both contractor and homeowner.

Updated documents:

Attached you will find the following:

1. The most updated version of the homeowner flyer. This can be distributed in offices, in the field, or linked on websites and is a great resource for directing homeowners to the proper website.
2. The latest version of the Program Minimum Standards. The most recent edit being the inclusion of the "Approved Manufacturers Design Manual" list (Attachment 4). These design manuals will be available on EGLE's SRLP landing page at:  
<https://www.michigan.gov/egle/about/organization/drinking-water-and-environmental-health/onsite-wastewater-management/septic-replacement-loan-program>

Permitting Reminders:

EGLE is currently reviewing all permits submitted for installation through the SRLP and communicating with Authorized Contractors when a revision is being requested. Common revisions have been:

1. Watertight risers and secondary safety devices are both required for systems permitted through the SRLP. Example language to be included on permits: Watertight risers and secondary safety devices are required per the Program Minimum Standards for the SRLP.
2. If LHD permits do not currently include the soils information for a site, please also provide the contractor with the soil data tool/sheet being used at the initial site evaluation.
3. Please assure that the failed system data form being used is the appropriate version:  
<https://www.michigan.gov/egle/-/media/Project/Websites/egle/Documents/Forms/DWEHD/Onsite-Wastewater/EQP1728-Onsite-Wastewater-Treatment-Mgmt-EGLE-Failed-System-Data-Collection-Residential.pdf?rev=df06059f8bd494ab70ae6cceb3230b7>. This can also be found on the EGLE SRLP landing page (linked above).

As of June 29<sup>th</sup> we have:

- 67 Authorized contractors across the state
- 77 loan applications, 44 approved status, 13 installations, \$621,441 approved loan amount

Thank you again for your ongoing support, and willingness to connect Michigan homeowners with the SRLP. Please send any questions, comments, or suggestions to Anne Mitchell, Program Manager at: [mitchella26@michigan.gov](mailto:mitchella26@michigan.gov).



# Septic Replacement Loan Program

## Information for homeowners

The Septic Replacement Loan Program (SRLP), created in partnership with the Michigan Department of Environment, Great Lakes, and Energy (EGLE), provides low-interest financing to Michigan homeowners for the replacement of failing or near-failing septic systems. EGLE contracted Michigan Saves to develop and manage the program.

A failing septic system can back up wastewater into your home or discharge wastewater onto the ground surface, potentially contaminating surface and drinking water supplies. This can expose children and pets to dangerous bacteria and viruses in your yard, which can then be tracked into your home. Replacing a failed septic system can be an unexpected financial burden, which is why the SRLP provides low-interest loan options for Michigan homeowners in need.

Homeowners can access two loan tiers by working with a Michigan Saves authorized septic installation contractor: income-based financing (tier one) and market-based loans (tier two). Information collected in the loan application will determine the tier the applicant will be considered for; guidelines can be found on our website. For both tiers, actual rates, terms, and loan amounts may vary based on factors collected during the loan application.

## Program eligibility

- Single-family homes, owner-occupied or rental property
- Sites with documented failing, near-failing, nonexistent, or similarly inadequate septic system (as determined and documented by your local health department)
- Eligible costs include evaluation of the system, design, pumping, and installation
- All systems funded through this program must meet SRLP minimum standards

### TIER ONE

#### Income-qualified loans

Tier one considers a customer's household income. Loans range from \$1,000 to \$30,000 per project, with a blend of traditional credit and noncredit underwriting criteria to qualify customers. Note that proof of income is required with your tier one application.

- Income-based loan
- Unsecured loan, no lien or collateral required
- Ability-to-pay underwriting criteria with limited use of traditional credit factors
- Interest rate no higher than 1%; terms up to ten years
- Loans only available through TRUE Community Credit Union

*See the back of this flyer for more details on tier one eligibility.*

### TIER TWO

#### Market-based loans

Tier two loans range from \$1,000 to \$50,000 per project, with traditional credit-based underwriting to qualify customers.

- Market-based loan
- Unsecured loan, no lien or collateral required
- Credit-based underwriting criteria
- Fixed interest rates vary by lender: Please check our website for current interest rates

# How to get started

- 1 Select your Michigan saves authorized septic installation contractor. Search for authorized contractors at [michigansaves.org/find-a-contractor](https://michigansaves.org/find-a-contractor).
- 2 Contact your local health department to establish the project scope and to obtain a construction permit. All systems permitted through the SRLP must be designed in accordance with the program minimum standards. Find these standards at [michigansaves.org/programstandards](https://michigansaves.org/programstandards).
- 3 Apply for a Michigan Saves loan at [michigansaves.org/loancenter](https://michigansaves.org/loancenter) once you have obtained an LHD construction permit and bid from your authorized contractor.

Have a contractor that isn't authorized through Michigan Saves? Getting authorized is easy. They can learn more at [michigansaves.org/septiccontractors](https://michigansaves.org/septiccontractors).

## Tier one additional details

### Tier one 2024 eligibility

| Persons in Household | Maximum Annual Household Gross Income to Qualify |
|----------------------|--------------------------------------------------|
| 1                    | \$29,160                                         |
| 2                    | \$39,440                                         |
| 3                    | \$49,720                                         |
| 4                    | \$60,000                                         |
| 5                    | \$70,280                                         |
| 6                    | \$80,560                                         |
| 7                    | \$90,840                                         |
| 8                    | \$101,120                                        |



## For More Information or Questions About the SRLP:

[Michigansaves.org/septic](https://michigansaves.org/septic)

info@michigansaves.org  
517-484-6474

Michigan Department of Environment, Great Lakes, and Energy

Anne Mitchell, Program Manager  
517-914-4254  
EGLE-DWEHD-SRLP@michigan.gov

# **SEPTIC REPLACEMENT LOAN PROGRAM: PROGRAM MINIMUM STANDARDS**



MICHIGAN DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY

**July 2024**

## **I. Background**

Throughout Michigan, failing septic systems are often identified as a potential source of pollution that contributes to both public health and environmental concerns. One of the barriers preventing the replacement of septic systems and installation of systems designed to protect our waters is a lack of funding options available to homeowners.

## **II. Introduction**

The Michigan Department of Environment, Great Lakes, and Energy (EGLE) has received funding and contracted with a non-profit third-party lender, Michigan Saves Inc., to develop and implement a statewide loan program to replace failing and near-failing septic systems. The Septic Replacement Loan Program (SRLP) provides financing for the installation of residential Onsite Wastewater Treatment Systems (OWTS) that are protective of public health and the environment. To assure these protections, EGLE has developed a set of program minimum standards for OWTS constructed through the SRLP. The information below describes the program minimum standards.

## **III. Purpose**

The primary purpose of the SRLP is to provide loans to eligible homeowners to repair and replace existing septic systems that are at or near failure to protect public health and water quality. Systems supported by the SRLP shall be permitted in accordance with the program minimum standards outlined within this document.

## **IV. Contact Information**

For more information go to:

[Septic Replacement Loan Program](#)

Additional contacts:

Michigan Department of Environment, Great Lakes, and Energy

Anne Mitchell, Program Manager

517-914-4254

[EGLE-DWEHD-SRLP@Michigan.gov](mailto:EGLE-DWEHD-SRLP@Michigan.gov)

Michigan Saves, Inc.

Nishaat Killeen, Senior Project Manager

517-371-7431

[NKilleen@MichiganSaves.org](mailto:NKilleen@MichiganSaves.org)

Pat O'Boyle, Director of Business Development

517-410-5924

[POBoyle@MichiganSaves.org](mailto:POBoyle@MichiganSaves.org)

## V. Definitions\*

1. **Authorized Contractor:**

An entity or individual installing systems supported by the SRLP who has met all requirements outlined in (Section VII) and maintained registration with Michigan Saves, Inc. (MS).

2. **Failure:**

A system is considered to be failing when sewage backs up into the home or structure, discharges to the ground surface, contaminates surface water or drinking water supplies, any part of the system is bypassed, the system is the source of an illicit discharge, there is an absence of a septic tank and absorption system, or there is a structural failure of a septic tank or other associated appurtenances.

3. **Onsite Wastewater Treatment System (OWTS):**

A system of components and appurtenances actually used or intended for use by the owner of the system, or owner of the property, to collect, hold, and treat less than 10,000 gallons per day of sanitary sewage through discharge to a subsurface soil dispersal system. OWTS does not include discharges that are the subject of a valid permit issued by EGLE pursuant to the Natural Resources Environmental Protection Act (NREPA).

\*The definitions outlined within this document are specific to the Septic Replacement Loan Program.

## VI. General Provisions

1. This is a personal loan for individuals owning a residential dwelling. Loan applications may be filed for OWTS that serve a single-family home occupied as a dwelling or an OWTS to serve an attached two-family home, often called a duplex, owned by one individual. Loan applications are filed online through the MS website.
2. Eligible costs for septic replacement projects supported by the SRLP include but are not limited to evaluation of the system, design, pumping costs, and installation costs including parts and labor.
3. Sites with a documented failing, near-failing, non-existent septic system, or similarly inadequate system will be eligible for replacement under the SRLP. Near failing is considered in situations where failure can be anticipated within a short period of time. Eligibility of “malfunctioning” or similarly “inadequate” would be limited to circumstances where there is clear risk to water quality or public health.
4. Only local health department (LHD) documentation will be acceptable documentation of failure, near-failing, non-existent septic system, malfunctioning, or similarly inadequate system. Utilizing the local health department-completed Failed System Data Collection – Residential form (Attachment 1, form EQP1728) could meet this documentation requirement.

- I. Reports or documentation created by other persons, other than local health department staff, are required to be verified by the local health department for final determination.

## **VII. Michigan Saves Authorized Contractors**

All contractors installing systems supported by the SRLP must be authorized by MS.

1. To become a MS Authorized Contractor the following requirements must be met:
  - I. Registered and in good standing with State of Michigan Corporations Division
  - II. Maintain minimum levels of insurance as specified by MS
  - III. Registered/Certified by local health department where applicable
  - IV. No history of disciplinary action by local health department
  - V. Attendance at MS training events
  - VI. Read and agree to terms and conditions of the Michigan Saves Contractor Agreement and Implementation Guide
2. MS Authorized Contractors will be responsible for uploading all required documentation into the MS database including but not limited to:
  - I. LHD permit
  - II. Permit supporting documents and attachments
  - III. Failed System Data Collection – Residential form (Attachment 1, form EQP1728)
  - IV. Septic Tank Pumping Record form (Attachment 2, form EQP1731)
  - V. Affirmation that the installed system met all of the program minimum standards
  - VI. LHD final inspection documentation
  - VII. Certificate of Completion (COC)
3. MS Authorized Contractors must disclose any land use restrictions as may be filed with the Register of Deeds Office and/or EGLE pursuant to Part 201 or Part 213, NREPA.
4. MS Authorized Contractors must acknowledge that other potential requirements to obtain state or locally issued permits or approvals from EGLE have been met. As associated with:
  - I. Wetlands
  - II. High-risk dune erosion
  - III. Sediment and erosion control
  - IV. Flood plains
  - V. Local building code (as associated with OWTS construction in a Michigan regulated flood plain).

5. MS Authorized Contractors are required to assess internal plumbing for leaking fixtures and non-sewage connections to the sewage system. Leaking toilets, sinks, etc. must be repaired prior to OWTS installation. All sources of sanitary sewage, including greywater, must be discharged to the OWTS.
6. A COC will be required for all OWTS installed through the SRLP. The COC must be reviewed and signed by both the MS Authorized Contractor and homeowner. The MS Authorized Contractor is responsible for uploading the completed COC into the MS database.

## **VIII. Septic Tanks and Pumping Chambers**

All septic tanks and pumping chambers being installed, pumped, or evaluated through the SRLP must comply with the following standards:

1. For the purposes of this program, the pumping of septic tanks and/or pumping chambers shall only be performed by a licensed septage waste hauler.
2. All existing septic tanks and pumping chambers must be assessed for watertightness and structural integrity. A completed Septic Tank Pumping Record form (Attachment 2, form EQP1731) must be submitted by the MS Authorized Contractor if an existing tank(s) is being re-used or as prescribed below (Section VIII).
3. Septic tank pumping is required if sludge and scum accumulations exceed 30 percent of the tank volume or are encroaching on the inlet and outlet baffle entrances. When pumping is needed, assessment for watertightness and structural condition is to occur as part of pumping. The effluent level in relation to the outlet invert will be observed prior to beginning pumping. Indicators of infiltration or exfiltration will also be noted. A completed Septic Tank Pumping Record form (Attachment 2, form EQP1731) must be submitted by the MS Authorized Contractor when pumping is needed.
4. Septic tanks and pump chambers must be equipped with a watertight riser to grade and a secured secondary safety component. Existing tanks approved to be reused, must be upgraded with a watertight riser to grade and a secured secondary safety component. To view a Technical Advisory Council Advisory visit the following link: [MOWRA.org/TACAdvisoryTankRiserandLidAssemblies](http://MOWRA.org/TACAdvisoryTankRiserandLidAssemblies).

## **IX. Program Minimum Standards for OWTS funded by SRLP**

Systems supported through the loan program need to meet the site suitability and design standards of one of the following categories:

**Category 1 (C1):** Site evaluation completed by the local health department has determined:

- I. There is a minimum of eighteen inches (18") of non-mottled, naturally occurring soil, including six inches (6") of non-mottled soil below the topsoil horizon, and

Provided the following conditions are met based on the Category of systems as follows:

**Option A (C1OA):** Dispersal system utilizing non-uniform/gravity distribution network and separated by no less than forty-eight inches (48") to seasonal high water table, water table, greater than fifty percent (50%) rock material, or bedrock.

Or

**Option B (C1OB):** Dispersal system utilizing pressure distribution network and separated by no less than thirty-six inches (36") to seasonal high water table, water table, greater than fifty percent (50%) rock material, or bedrock.

- II. When/if elevated above natural ground surface, a minimum 3:1 slope/tapers from the dispersal stone or media is required to inhibit toe slope seepage during wettest time of the year.

**Category 2 (C2):** Performance based systems may be considered when the local health department site evaluation has determined:

- III. There is less than eighteen inches (18") of non-mottled, naturally occurring soil, and

Provided the following conditions are met based on the Category of systems as follows:

**Class A (C2CA): Nonproprietary Technology (public domain)**

This class includes a wastewater treatment or distribution technology, method, or material not subject to a patent or trademark. These technologies provide a means to, or significantly contribute to, attainment of treatment. Nonproprietary technology may involve a qualified consultant in private practice to prepare a design. Pressurized mound systems would be an example of nonproprietary technology.

All conditions to be met:

- i. Dispersal system utilizes pressure distribution and is separated by no less than forty-eight inches (48") to seasonal high-water table, water table, greater than fifty percent (50%) rock material, or bedrock.

- ii. When elevated above natural ground surface, a minimum 4:1 slope/tapers from the dispersal stone or media is required to inhibit toe slope seepage during wettest time of the year.
- iii. Preferred dispersal system length to width ratio is not less than 2:1.

### **Class B (C2CB): Proprietary Treatment Technology**

Includes a treatment product held under patent or trademark which significantly contributes to the treatment performance and attainment of effluent quality standards as defined by the National Safety Foundation (NSF) Standard 40 certification. All conditions to be met:

- i. System design and management plans in accordance with EGLE approved manufacturer's design manual are prepared by a qualified consultant in private practice for local health department review (Attachments 3 and 4).
- ii. The local health department permit requires that the performance based system will be perpetually operated, maintained, and inspected as appropriate for the useful life of the system and requires report submission documenting results of such at least every three (3) years for permit compliance. This requirement shall be filed or recorded in the land records of the subject property prior to final approval by the local health department.
- iii. Wastewater treatment systems incorporating treatment equipment certified per NSF Standard 40, with effluent treatment to 30 mg/L BOD, 30 mg/L TSS are supported provided the dispersal system is designed with 24" separation between the infiltrative surface and the limiting layer (seasonal high water table, water table, greater than fifty percent (50%) rock material, or bedrock).
- iv. A minimum 4:1 slope/taper is required from the dispersal stone or media to inhibit toe slope seepage during wettest time of the year.
- v. Preferred dispersal system length to width ratio is not less than 2:1.
- vi. EGLE consultation available with request from local health department during plan review and prior to local construction permit issuance.

## **IX. Additional Standards**

Systems supported by the SRLP need to meet the following standards:

1. Systems supported through the loan program should include an assessment of the dispersal system sizing, design, and construction criteria for consistency with best practices and/or soil loading rates as referenced in:

- I. Pressure Mound Systems, Technical Guidance for Site Suitability, Design, Construction, and Operation and Maintenance (June 2003)
  - II. Draft Criteria for Onsite Wastewater Treatment (January 2013)
  - III. Michigan Criteria for Subsurface Sewage Disposal (April 1994)
2. The following are examples of systems/projects not supported through the loan program:
  - I. Drywells
  - II. Cesspools/Seepage pit configuration/type disposal systems
  - III. Lagoons
  - IV. Holding tanks
  - V. Services aimed at system restoration including but not limited to flushing, system aeration, and biomatt disruption
  - VI. Systems for new construction homes
  - VII. Connections to municipal sewer
  - VIII. Systems installed with less than forty-eight inches (48") of vertical isolation to seasonal high water table that don't meet Category 1 or Category 2 standards
3. The proposed system shall maintain one-hundred feet (100') of horizontal isolation distance from the closest edge of the dispersal system to surface water bodies. When a local health department site evaluation has determined that one-hundred feet (100') of horizontal isolation distance to surface water cannot be achieved due to insufficient replacement area, systems shall maintain the maximum horizontal isolation distance from surface water that the subject site provides.
4. When necessary, an elevation benchmark shall be created by qualified consultant in private practice or local health department staff. A benchmark serves as a reference point for the critical design elevations. Benchmarks help to assure that vertical isolation to the seasonal high water table is maintained.
5. When existing system or components must be removed, proper [abandonment or removal](#) of septic tanks and soil dispersal areas is necessary. Technical guidance is available by visiting the [EGLE Onsite Wastewater Management](#) webpage (Michigan.gov/EGLE/About/Organization/Drinking-Water-and-Environmental-Health/Onsite-Wastewater-Management).
6. Homeowners of systems constructed through the loan program are responsible for the proper use and maintenance of the OWTS. SRLP participants are encouraged to follow the information accessible through the Environmental Protection Agency (EPA) Septic Systems (Decentralized/Onsite Systems) webpage [SepticSmart | US EPA](#) (EPA.gov/Septic/SepticSmart).

## **X. Other Applicable Standards**

1. The septic tank, soil dispersal system, and other appurtenances must meet or exceed the requirements of the local health department's legally adopted regulations

and associated design standards. Written variances relevant to the local requirements only may be granted by the local health department.

2. When applicable, follow water supply system isolation distances, as per local health department regulations, Michigan Well Construction Administrative Code pursuant to Part 127, Act 368 of 1978, and Act 399 of 1976, the Safe Drinking Water Act.

### **Attachments**

Attachment 1: Failed System Data Collection – Residential form (EQP1728)

Attachment 2: Septic Tank Pumping Record form (EQP1731)

Attachment 3: EGLE Manufacturers Design Manual Request for Submission

Attachment 4: List of EGLE Validated Manufacturers Design Manuals

### **References**

MCSSD “Water that rests or flows on the ground surface”

Part 31, NREPA, Sec 3112a (9)(c) "Surface water" means all of the following, but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control:

- (i) The Great Lakes and their connecting waters
- (ii) Inland lakes
- (iii) Rivers
- (iv) Streams
- (v) Impoundments
- (vi) Open drains
- (vii) Other surface bodies of water

Part 22 Rules R 323.2203 Definitions; R to W (g) "Surface water" means all waters of the state excluding groundwater but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control.

---

If you need this information in an alternate format, contact [EGLE-Accessibility@Michigan.gov](mailto:EGLE-Accessibility@Michigan.gov) or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations. Questions or concerns should be directed to the Nondiscrimination Compliance Coordinator at [EGLE-NondiscriminationCC@Michigan.gov](mailto:EGLE-NondiscriminationCC@Michigan.gov) or 517-249-0906.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.



Michigan Local Public Health Accreditation Program  
Tool 2023 – MPR Indicator Guide

**SECTION VI: ONSITE WASTEWATER TREATMENT MANAGEMENT**  
**EGLE FAILED SYSTEM DATA COLLECTION – RESIDENTIAL**

☐ Failed per “failure” definition    ☐ Non-Failure    Date: \_\_\_\_\_

**FOR LOCAL HEALTH DEPARTMENT COMPLETION ONLY**

Address: \_\_\_\_\_ Township: \_\_\_\_\_ County: \_\_\_\_\_

Health Department Jurisdiction: \_\_\_\_\_

**Dwelling Type:**    ☐ Single Family    ☐ Two-Family

**Dwelling Size:**    ☐ 2 Bedrooms    ☐ 3 Bedrooms    ☐ 4 Bedrooms    ☐ >4 Bedrooms

**Septic Tank Type:**

☐ Single    ☐ Two Compartment    ☐ More Than One Tank    ☐ No Tank

**Septic Tank Capacity – Gallons:**

☐ <1,000    ☐ 1,000 – 1,500    ☐ >1,500 – 2,000    ☐ >2,000 – 3,000  
☐ >3,000    ☐ Unknown

**Advanced Treatment Unit:**    ☐ Yes    ☐ No    If yes, Treatment Unit Name: \_\_\_\_\_

**System Design:**

☐ Gravity Bed    ☐ Dosed Bed    ☐ Pressure Dosed Bed    ☐ None  
☐ Gravity Trenches    ☐ Dosed Trenches    ☐ Pressure Dosed Trenches    ☐ Unable to Determine  
☐ Gravity Mound    ☐ Dosed Mound    ☐ Pressure Dosed Mound  
☐ Chambers    ☐ Drywells    ☐ Other \_\_\_\_\_

**System Age:**    ☐ 0 – 5    ☐ 6 – 10    ☐ 11 – 15    ☐ 16 – 20    ☐ 21 – 25  
(years)

☐ 26 – 30    ☐ 31 – 40    ☐ > 40    ☐ Unknown

**Soil Texture:**

☐ Coarse Sand, Medium Sand    ☐ Fine Sand, Loamy Sand    ☐ Sandy Loam  
☐ Loam, Sandy Clay Loam    ☐ Clay Loam, Silt Loam    ☐ Clay, Silt  
☐ Organic Soil, Fill Soil

**Seasonal High Water Table:**    ☐ 0 – 12    ☐ 13 – 24    ☐ 25 – 36    ☐ 37 – 48    ☐ > 48  
(inches below grade)

**System Size:** Bed \_\_\_\_\_ ft<sup>2</sup> Trenches \_\_\_\_\_ bottom area ft<sup>2</sup>    ☐ Unable to Determine



Michigan Local Public Health Accreditation Program  
Tool 2023 – MPR Indicator Guide

**SECTION VI: ONSITE WASTEWATER TREATMENT MANAGEMENT**

Address: \_\_\_\_\_ Township: \_\_\_\_\_ County: \_\_\_\_\_

Health Department Name: \_\_\_\_\_

**Probable Cause(s) of Failure:**

- |                                                                |                                                  |                                                  |
|----------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------|
| <input type="checkbox"/> Septic Tank Failure                   | <input type="checkbox"/> Infrequent Tank Pumping | <input type="checkbox"/> Pipe Filled with Solids |
| <input type="checkbox"/> Damaged/Collapsed Piping System       | <input type="checkbox"/> Hydraulic Overload      | <input type="checkbox"/> System Undersized       |
| <input type="checkbox"/> Insufficient Isolation to Water Table | <input type="checkbox"/> Root Intrusion          | <input type="checkbox"/> Installation Error      |
| <input type="checkbox"/> Unsuitable Fill                       | <input type="checkbox"/> Dirty Stone             | <input type="checkbox"/> Excess Cover            |
| <input type="checkbox"/> Lack of Maintenance                   | <input type="checkbox"/> Soil Clogging           | <input type="checkbox"/> Unable to Determine     |
| <input type="checkbox"/> Other: _____                          |                                                  |                                                  |

Form Completed by: \_\_\_\_\_  
(Print Name)

Date Form Completed: \_\_\_\_\_

---

If you need this information in an alternate format, contact [EGLE-Accessibility@Michigan.gov](mailto:EGLE-Accessibility@Michigan.gov) or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations. Questions or concerns should be directed to the Nondiscrimination Compliance Coordinator at [EGLE-NondiscriminationCC@Michigan.gov](mailto:EGLE-NondiscriminationCC@Michigan.gov) or 517-249-0906.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.



*For properties with multiple onsite wastewater treatment systems, individual pump records are required to be completed and submitted.*

**Address:** \_\_\_\_\_ **City:** \_\_\_\_\_ **Zip Code:** \_\_\_\_\_

**County:** \_\_\_\_\_

**Property Owner(s) Name:** \_\_\_\_\_

**Date of Pumping/Service (Month/Day/Year):** \_\_\_\_\_

**Filter cleaned at time of pumping:** YES \_\_\_ NO \_\_\_

**Outlet device appears to be in good condition:** YES \_\_\_ NO \_\_\_

**Tank location accessible for pumping/maintenance:** YES \_\_\_ NO \_\_\_

**Recommended Repair or Replacement of Tank:** YES \_\_\_ NO \_\_\_

(If YES, explain in comments section below)

**Comments:**

**Septage Waste Hauler Name:** \_\_\_\_\_

(printed)

**LICENSE NUMBER:** \_\_\_\_\_

**THE INFORMATION REPORTED IS ACCURATE TO THE BEST OF MY KNOWLEDGE**

**Signature:** \_\_\_\_\_

**Company:** \_\_\_\_\_

For questions, please contact Anne Mitchell at 517-914-4254 or [EGLE-DWEHD-SRLP@Michigan.gov](mailto:EGLE-DWEHD-SRLP@Michigan.gov)



MICHIGAN DEPARTMENT OF  
ENVIRONMENT, GREAT LAKES, AND ENERGY

SEPTIC REPLACEMENT LOAN PROGRAM  
SEPTIC TANK PUMP RECORD



**Michigan Saves**<sup>®</sup>  
The Nation's First Nonprofit Green Bank

| Tank Number:                                                 | Tank 1                                                                                                                                                                                                      | Tank 2                                                                                                                                                                                                      | Tank 3                                                                                                                                                                                                      |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Size (gallons)                                               |                                                                                                                                                                                                             | N/A ____                                                                                                                                                                                                    | N/A ____                                                                                                                                                                                                    |
| Gallons Pumped                                               |                                                                                                                                                                                                             |                                                                                                                                                                                                             |                                                                                                                                                                                                             |
| Tank Material (check one)                                    | <input type="checkbox"/> Prefabricated<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Polyethylene (plastic)<br><input type="checkbox"/> Steel<br><input type="checkbox"/> Other Material | <input type="checkbox"/> Prefabricated<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Polyethylene (plastic)<br><input type="checkbox"/> Steel<br><input type="checkbox"/> Other Material | <input type="checkbox"/> Prefabricated<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Polyethylene (plastic)<br><input type="checkbox"/> Steel<br><input type="checkbox"/> Other Material |
| Sludge/Scum Layers Present Indicating Active Tank            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Tank Watertight with No Evidence of Groundwater Infiltration | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Tank(s) Structurally Sound                                   | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Risers to Grade                                              | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Secondary Safety Device Present                              | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Liquid Level                                                 | At Outlet ____<br>Below Outlet ____<br>Above Outlet ____                                                                                                                                                    | At Outlet ____<br>Below Outlet ____<br>Above Outlet ____                                                                                                                                                    | At Outlet ____<br>Below Outlet ____<br>Above Outlet ____                                                                                                                                                    |
| Evidence of Drain/Run Back from Field                        | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            | YES ____ NO ____                                                                                                                                                                                            |
| Outlet Device                                                | Baffle ____<br>"T" ____<br>Vented Elbow ____<br>Effluent Filter ____<br>None ____<br>Other ____<br>(explain in comments section below)                                                                      | Baffle ____<br>"T" ____<br>Vented Elbow ____<br>Effluent Filter ____<br>None ____<br>Other ____<br>(explain in comments section below)                                                                      | Baffle ____<br>"T" ____<br>Vented Elbow ____<br>Effluent Filter ____<br>None ____<br>Other ____<br>(explain in comments section below)                                                                      |

Comments:

For questions, please contact Anne Mitchell at 517-914-4254 or [EGLE-DWEHD-SRLP@Michigan.gov](mailto:EGLE-DWEHD-SRLP@Michigan.gov)



---

If you need this information in an alternate format, contact [EGLE-Accessibility@Michigan.gov](mailto:EGLE-Accessibility@Michigan.gov) or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations. Questions or concerns should be directed to the Nondiscrimination Compliance Coordinator at [EGLE-NondiscriminationCC@Michigan.gov](mailto:EGLE-NondiscriminationCC@Michigan.gov) or 517-249-0906.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.



## **Invitation to Submit a Manufacturer's Design and Management Manual for the Septic Replacement Loan Program**

The Michigan Department of Environment, Great Lakes, and Energy (EGLE) has received funding and contracted with green bank lender, Michigan Saves, Inc., to develop and implement a loan program to replace failing and near-failing septic systems statewide. The Septic Replacement Loan Program (SRLP) is limited to Onsite Wastewater Treatment Systems (OWTS) that serve a single-family home occupied as a dwelling.

The purpose of this letter is to invite manufacturers to submit proprietary treatment design manuals for consideration by EGLE for use within the SRLP. While EGLE does not have a procedure for general approval of wastewater treatment technologies, manuals specific to replacement systems funded by the SRLP are a requirement of the loan program.

The SRLP has statewide site suitability and design standards as laid out in the program's minimum standards (attached). These program minimum standards (PMS) are subject to change as the program is implemented in early 2024. The program's minimum standards will promote uniform minimum standards across the state for the use and management of proprietary technology for residential onsite wastewater treatment systems. In accordance with Michigan's onsite wastewater regulatory structure, local health departments (LHD) may have local requirements that are more restrictive.

The statewide requirements for the SRLP are based on the Michigan Criteria for Subsurface Disposal, the Draft Criteria for Onsite Wastewater Treatment, and Pressure Mound Systems, Technical Guidance for Site Suitability, Design, Construction, and Operation and Maintenance. Therefore, systems supported through the loan program should include an assessment of the dispersal system sizing, design, and construction criteria for consistency with best practices and/or soil loading rates as referenced in all three documents. The Draft Criteria for Onsite Wastewater Treatment includes the use of proprietary treatment technology to justify reducing the required separation between the final dispersal system and limiting layer identified on the subject site.

The use of proprietary treatment technology within the SRLP will be limited to those technologies and specific models that have received an NSF 40 Certification. **A requirement for use of proprietary technology within the SRLP includes review and validation by EGLE of a manufacturer's design and management manual developed specifically for use within the program.** It is important to note that not all LHDs recognize or approve reductions in isolation distances based on the use of treatment technology and systems funded under the SRLP must also meet health department requirements.

As noted above, EGLE invites all manufacturers of proprietary treatment technologies that have received NSF 40 certification to submit proposed SRLP-specific Design, Operation and Management manuals for limited approval for use under the program. For the SRLP manuals, it is requested that manuals at a minimum include:

- Manufacturers specification sheets with documentation of NSF 40 certification for each specified model and associated intended use and flow rates.
- Design and Installation Manual.
- Certification requirements for designers, installers, and service providers.
- A homeowner Operation and Maintenance Manual including maintenance frequency and effluent testing requirements.
- A recommended field inspection and maintenance form.
- Responsible manufacturers contact name and information for questions regarding design, installation, troubleshooting, or other management concerns.
- A statement in the manual indicating its use if specific to the SRLP only.
- A statement that any changes in the manual will be submitted to EGLE for consideration.

All submissions will be reviewed by the EGLE Onsite Wastewater Management Unit and will be notified of approval status for participation within the loan program via letter within 10 business days of receipt.

Please submit questions and/or proposed manufacturer design and management manuals for the SRLP to:

Anne Mitchell, MPH, REHS

SRLP Program Manager

[EGLE-DWEHD-SRLP@Michigan.gov](mailto:EGLE-DWEHD-SRLP@Michigan.gov)

Attachment: PMS



## **Septic Replacement Loan Program**

### **EGLE Validated Manufacturers Design and Management Manuals**

Systems utilizing these technologies must be designed, permitted, and installed in accordance with the appropriate manufacturer design and management manual for the SRLP, and EGLE's SRLP Program Minimum Standards.

Design manuals can be found by visiting the following link: